

**VesselMASS list of references**

- 1. Adame IM, van der Geest RJ, Wasserman BA, Mohamed M, Reiber JHC, Lelieveldt BPF.**  
Automatic segmentation and plaque characterization in atherosclerotic carotid artery MR images.  
*Magn Reson Mater Phys* 2004; 16:227-234.
- 2. Desai MY, Rodriguez A, Wasserman BA, Gerstenblith G, Agarwal S, Kennedy M, Bluemke DA, Lima JA.** Association of cholesterol subfractions and carotid lipid core measured by MRI.  
*Arterioscler Thromb Vasc Biol.* 2005 Jun;25(6):e110-111.
- 3. Adame IM, van der Geest RJ, Bluemke DA, Lima JA, Reiber JHC, Lelieveldt RBF.** Automatic vessel wall contour detection and quantification of wall thickness in in-vivo MR images of the human aorta.  
*J Magn Reson Imaging.* 2006; 24:595-602
- 4. Adame IM, de Koning PJH, Lelieveldt BPF, Wasserman BA, Reiber JHC, van der Geest RJ.**  
An integrated automated analysis method for quantifying vessel stenosis and plaque burden from carotid MRI images: Combined postprocessing of MRA and vessel wall MR.  
*Stroke* 2006; 37:2162-2164.
- 5. Isbell DC, Meyer CH, Rogers WJ, Epstein FH, DiMaria JM, Harthun NL, Wang H, Kramer CM.**  
Reproducibility and reliability of atherosclerotic plaque volume measurements in peripheral arterial disease with cardiovascular magnetic resonance.  
*J Cardiovasc Magn Reson.* 2007;9(1):71-6. Erratum in: *J Cardiovasc Magn Reson.* 2007;9(3):629.
- 6. Dehnavi RA, Doornbos J, Tamsma JT, Stuber M, Putter H, van der Geest RJ, Lamb HJ, de Roos A.**  
Assessment of the carotid artery by MRI at 3T: A study on reproducibility.  
*J. Magn. Reson. Imaging* 2007; 25:1035-1043
- 7. Babiarz LS, Astor B, Mohamed MA, Wasserman BA.**

Comparison of gadolinium-enhanced cardiovascular magnetic resonance angiography with high-resolution black blood cardiovascular magnetic resonance for assessing carotid artery stenosis.

*J Cardiovasc Magn Reson.* 2007;9(1):63-70.

- 8. Maroules CD, McColl R, Khera A, Peshock RM.**  
Assessment and reproducibility of aortic atherosclerosis magnetic resonance imaging. Impact of 3-tesla field strength and parallel imaging.  
*Invest Radiol* 2008;43:656-662
- 9. Rosero EB, Peshock RM, Khera A, Clagett GP, Lo H, Timaran C.**  
Agreement between methods of measurement of mean aortic wall thickness by MRI.  
*J Magn Reson Imaging.* 2009;29(3):576-582.
- 10. Kornaat PR, Sharma R, van der Geest RJ, Lamb HJ, Kloppenburg M, Hellio le Graverand MP, Bloem JL, Watt I.**  
Positive association between increased popliteal artery vessel wall thickness and generalized osteoarthritis: is OA also part of the metabolic syndrome?  
*Skeletal Radiol.* 2009.
- 11. Roes SD, Westenbergh JJ, Doornbos J, van der Geest RJ, Angelié E, de Roos A, Stuber M.**  
Aortic vessel wall magnetic resonance imaging at 3.0 tesla: A reproducibility study of respiratory navigator gated free-breathing 3D black blood magnetic resonance imaging.  
*Magn Reson Med* 2009; 61:35-44.
- 12. Kwee RM, Teule GJJ, van Oostenbrugge RJ, Mess WH, Prins MH, van der Geest RJ, ter Berg JWM, Franke CL, Korten AGGC, Meems BJ, Hofman PAM, van Engelshoven JMA, Wildberger JE, Kooi EM.**  
Multimodality Imaging of Carotid Artery Plaques 18F-Fluoro-2-Deoxyglucose Positron Emission Tomography, Computed Tomography, and Magnetic Resonance Imaging.  
*Stroke.* 2009;40:3718-3724.
- 13. Lobbes MBI, Miserus RJJHM, Heeneman S, Passos VL, Mutsaers PHA, Debernardi N, Misselwitz B, Post M, Daemen MJAP, Engelshoven JMA van, Leiner T, Kooi ME.**  
Atherosclerosis: contrast-enhanced MR imaging of vessel wall in rabbit model – comparison of gadofosveset and gadopentetate dimeglumine.  
*Radiol* 2009;250(3):682-91
- 14. Anderson JD, Epstein FH, Meyer CH, Hagspiel KD, Wang H, Berr SS, Harthun NL, Weltman A, Dimaria JM, West AM, Kramer CM.**  
Multifactorial determinants of functional capacity in peripheral arterial disease: uncoupling of calf muscle perfusion and metabolism.  
*J Am Coll Cardiol.* 2009 Aug 11;54(7):628-635.

- 15. Miao C, Chen S, Macedo R, Lai S, Liu K, Li D, Wasserman BA, Vogel-Claussen J, Lima JA, Bluemke DA.**  
Positive remodeling of the coronary arteries detected by magnetic resonance imaging in an asymptomatic population: MESA (Multi-Ethnic Study of Atherosclerosis).  
*J Am Coll Cardiol.* 2009;5;53(18):1708-1715.
- 16. Duivenvoorden R, de Groot E, Elsen BM, Lameris JS, van der Geest RJ, Stroes ES, Kastelein JJP, Nederveen AJ.**  
In Vivo Quantification of Carotid Artery Wall Dimensions 3.0-Tesla MRI Versus B-Mode Ultrasound Imaging.  
*Circ Cardiovasc Imaging* 2009;2(3):235-242.
- 17. Mani V, Muntner P, Gidding SS, Aguiar SH, El Aidi H, Weinshelbaum KB, Taniguchi H, van der Geest RJ, Reiber JH, Bansilal S, Farkouh M, Fuster V, Postley JE, Woodward M, Fayad ZA.**  
Cardiovascular magnetic resonance parameters of atherosclerotic plaque burden improve discrimination of prior major adverse cardiovascular events.  
*J Cardiovasc Magn Reson.* 2009;11(1):10.
- 18. El Aidi H, Mani V, Weinshelbaum KB, Aguiar SH, Taniguchi H, Postley JE, Samber DD, Cohen EI, Stern J, van der Geest RJ, Reiber JH, Woodward M, Fuster V, Gidding SS, Fayad ZA.**  
Cross-sectional, prospective study of MRI reproducibility in the assessment of plaque burden of the carotid arteries and aorta.  
*Nat Clin Pract Cardiovasc Med* 2009;6(3)219-228.
- 19. Gaubatz JW, Ballantyne CM, Wasserman BA, He M, Chambless LE, Boerwinkle E, Hoogeveen RC.**  
Association of circulating matrix metalloproteinases with carotid artery characteristics: the Atherosclerosis Risk in Communities Carotid MRI Study.  
*Arterioscler Thromb Vasc Biol.* 2010;30(5):1034-42.
- 20. Astor BC, Sharrett AR, Coresh J, Chambless LE, Wasserman BA.**  
Remodeling of carotid arteries detected with MR imaging: atherosclerosis risk in communities carotid MRI study.  
*Radiology.* 2010;256(3):879-86.
- 21. Duivenvoorden R, Vanbavel E, de Groot E, Stroes ES, Disselhorst JA, Hutten BA, Laméris JS, Kastelein JJ, Nederveen AJ.**  
Endothelial shear stress: a critical determinant of arterial remodeling and arterial stiffness in humans--a carotid 3.0-T MRI study.  
*Circ Cardiovasc Imaging.* 2010;3(5):578-85. Erratum in: *Circ Cardiovasc Imaging.* 2011 Mar 1;4(2):e3.

- 22. Volcik KA, Campbell S, Chambless LE, Coresh J, Folsom AR, Mosley TH, Ni H, Wagenknecht LE, Wasserman BA, Boerwinkle E.**  
MMP2 genetic variation is associated with measures of fibrous cap thickness: The Atherosclerosis Risk in Communities Carotid MRI Study.  
*Atherosclerosis*. 2010;210(1):188-193.
- 23. Kwee RM, van Oostenbrugge RJ, Mess WH, Prins MH, van der Geest RJ, Ter Berg JW, Franke CL, Korten AG, Meems BJ, van Engelshoven JM, Wildberger JE, Kooi ME.**  
Carotid plaques in transient ischemic attack and stroke patients: One-year follow-up study by magnetic resonance imaging.  
*Invest Radiol*. 2010;12(45):803-809
- 24. Wasserman BA, Astor BC, Sharrett AR, Swingen C, Catellier D.**  
MRI measurements of carotid plaque in the atherosclerosis risk in communities (ARIC) study: methods, reliability and descriptive statistics.  
*J Magn Reson Imaging*. 2010;31(2):406-415.
- 25. Qiao Y, Etesami M, Malhotra S, Astor BC, Virmani R, Kolodgie FD, Trout HH 3rd, Wasserman BA.**  
Identification of intraplaque hemorrhage on MR angiography images: a comparison of contrast-enhanced mask and time-of-flight techniques.  
*AJNR Am J Neuroradiol*. 2011;32(3):454-459.
- 26. Lobbes MB, Heeneman S, Passos VL, Welten R, Kwee RM, van der Geest RJ, Wiethoff AJ, Caravan P, Misselwitz B, Daemen MJ, van Engelshoven JM, Leiner T, Kooi ME.**  
Gadofosveset-enhanced magnetic resonance imaging of human carotid atherosclerotic plaques: A proof-of-concept study.  
*Invest Radiol*. 2010;45(5):275-281.
- 27. Gerretsen SC, Kooi ME, Kessels AG, Schalla S, Katoh M, van der Geest RJ, Manning WJ, Waltenberger J, van Engelshoven JM, Botnar RM, Leiner T.**  
Visualization of coronary wall atherosclerosis in asymptomatic subjects and patients with coronary artery disease using magnetic resonance imaging.  
*PLoS One*. 2010 Sep 29;5(9):e12998.
- 28. Virani SS, Nambi V, Hoogeveen R, Wasserman BA, Coresh J, Gonzalez F 2nd, Chambless LE, Mosley TH, Boerwinkle E, Ballantyne CM.**  
Relationship between circulating levels of RANTES (regulated on activation, normal T-cell expressed, and secreted) and carotid plaque characteristics: the Atherosclerosis Risk in Communities (ARIC) Carotid MRI Study.

*Eur Heart J.* 2011;32(4):459-468.

- 29. Rosero EB, Peshock RM, Khera A, Clagett P, Lo H, Timaran CH.**  
Sex, race, and age distributions of mean aortic wall thickness in a multiethnic population-based sample.  
*J Vasc Surg.* 2011;53(4):950-957.
- 30. Kucharska-Newton AM, Monda KL, Campbell S, Bradshaw PT, Wagenknecht LE, Boerwinkle E, Wasserman BA, Heiss G.**  
Association of the platelet GPIIb/IIIa polymorphism with atherosclerotic plaque morphology: the Atherosclerosis Risk in Communities (ARIC) Study.  
*Atherosclerosis.* 2011;216(1):151-156.
- 31. Qiao Y, Steinman DA, Qin Q, Etesami M, Schär M, Astor BC, Wasserman BA.**  
Intracranial arterial wall imaging using three-dimensional high isotropic resolution black blood MRI at 3.0 Tesla.  
*J Magn Reson Imaging.* 2011;34(1):22-30.
- 32. Duivenvoorden R, Holleboom AG, Boogaard van den B, Nederveen AJ, Groot de E, Hutten BA, Schimmel AW, Hovingh GK, Kastelein JJP, Kuivenhoven JA, Stroes ESG.**  
Cholesterol acyltransferase gene mutations have accelerated atherogenesis as assessed by carotid 3.0-T magnetic resonance imaging.  
*JACC* 2011;58(24):2481-2487
- 33. Virani SS, Catellier DJ, Pompeii LA, Nambi V, Hoogeveen RC, Wasserman BA, Coresh J, Mosley TH, Otvos JD, Sharrett AR, Boerwinkle E, Ballantyne CM.**  
Relation of cholesterol and lipoprotein parameters with carotid artery plaque characteristics: the Atherosclerosis Risk in Communities (ARIC) carotid MRI study.  
*Atherosclerosis.* 2011;219(2):596-602.
- 34. Qiao Y, Etesami M, Astor BC, Zeiler SR, Trout HH 3rd, Wasserman BA.**  
Carotid plaque neovascularization and hemorrhage detected by MR imaging are associated with recent cerebrovascular ischemic events.  
*AJNR Am J Neuroradiol.* 2012;33(4):755-760.
- 35. Klooster R, de Koning PJH, Alizadeh Dehnavi R, Tamsma JT, de Roos A, Reiber JHC, van der Geest RJ.**  
Automatic lumen and outer wall segmentation of the carotid artery using deformable 3D models in MR angiography and vessel wall images.

*J Magn Reson Imaging. 2012;35(1):156-165.*

- 36. Gerretsen S, Kessels AG, Nelemans PJ, Dijkstra J, Reiber JH, van der Geest RJ, Katoh M, Waltenberger J, van Engelshoven JM, Botnar RM, Kooi ME, Leiner T.**  
Detection of coronary plaques using MR coronary vessel wall imaging: validation of findings with intravascular ultrasound.  
*Eur Radiol. 2012 Jul 11. [Epub ahead of print].*
- 37. van 't Klooster R, Naggara O, Marsico R, Reiber JH, Meder JF, van der Geest RJ, Touzé E, Oppenheim C.**  
Automated Versus Manual In Vivo Segmentation of Carotid Plaque MRI.  
*AJNR Am J Neuroradiol. 2012 Mar 22. [Epub ahead of print]*
- 38. Bochem AE, Wijk DF van, Holleboom AG, Duivenvoorden R, Motazacker MM, Dallinga-Thie GM, Groot E de, Kastelein JJP, Nederveen AJ, Hovingh GK, Stroes ESG.**  
ABCA1 mutation carriers with low high-density lipoprotein cholesterol are characterized by a larger atherosclerotic burden.  
*Eur Heart J 2013; 34: 286-191*
- 39. Gaens ME, Backes WH, Rozel S, Lipperts M, Sanders SN, Cleutjens JPM, Sluimer JC, Heeneman S, Daemen MJAP, Welten RJTJ, Daemen J-WH, Wildberger JE, Kwee RM, Kooi ME.**  
Dynamic contrast-enhanced MR imaging of carotid atherosclerotic plaque: model selection, reproducibility and validation.  
*Radiology 2013; 266(1): 271-279.*
- 40. Brandts A, Westenberg JJM, Elderen SGC van, Kroft LJM, Roes SD, Tamsma JT, Geest RJ van der, Lamb HJ, Doornbos J, Putter H, Stuber M, Roos A de.**  
Site-specific coupling between vascular wall thickness and function. An observational MRI study of vessel wall thickening and stiffening in hypertension.  
*Invest Radiol 2013; 48(2): 86-91.*
- 41. Qiao Y, Steinman DA, Etesami M, Martinez-Marquese A, Lakatta EG, Wasserman BA**  
Impact of T2 decay on carotid artery wall thickness measurements  
*JMRI 2013; 37: 1493-1498*

42. Klooster R van 't, Staring M, Klein S, Kwee RM, Kooi ME, Reiber JHC, Lelieveldt BPF, Geest RJ van der.  
Automated registration of multispectral MR vessel wall images of the carotid artery.  
*Med Phys* 2013, 40(12): 121904-1 – 121904-12
  
43. **Klooster R van 't, Patterson AJ, Young VE, Gillard JH, Reiber JHC, Geest RJ van der.**  
An objective method to optimize the MR sequence set for plaque classification in carotid vessel wall images using automated image segmentation.  
*Plos One* 2013; 8(10): e78492
  
44. **Sibley CT, Vavere AL, Gottlieb I, Cox C, Matheson M, Spooner A, Godoy G, Fernandes V, Wasserman BA, Bluemke DA, Lima JAC.**  
MRI-measured regression of carotid atherosclerosis induced by statins with and without niacin in a randomised controlled trial: the NIA plaque study.  
*Heart* 2013; 99: 1675-1680

### Book chapters

van der Geest RJ, Kitslaar PH, de Koning PJH, van 't Klooster R, Jukema WJ, Koning G, Marquering HA, Reiber JHC.  
Advanced three-dimensional postprocessing in computed tomographic and magnetic resonance angiography. In: Ho VB and Reddy GP (Eds) 'Cardiovascular imaging.' St Louis, MO, 2011:1128-1143.